
Professor Tomas Pexieder (6, 6, 1941 – 28, 10, 1995)



While hiking in the Swiss Alps, Prof. T. Pexieder tragically lost his life on October 28th,1995.

Tomas Pexieder was born in Prague on the 6, 6, 1941, where he undertook his undergraduate studies and received his M. D. in 1965 from Charles University. During his last 3 years at medical school, he also dedicated himself to research at the Institute of Anatomy and published his first paper on adipose vascularisation in rats [I]. From 1962 to 1965, he worked with Dr Z. Rychter at the Institute of Anatomy, where he investigated the development of aortic arches in the chick embryo. After three years at the Institute

of Embryology, he moved to the Lund University (Sweden) for one year before joining the Institute of Histology and Embryology in Lausanne in 1969, where he became associated professor in 1977. In August 1995, he became co-chairman of the Institute "ad interim" until his death.

As one of the pioneers of modern cardiac embryology, Tomas Pexieder attempted to link molecular and cellular events to structure changes of the developing heart. He focused his attention on programmed cell death (now called apoptosis) 25 years before the present large interest in the field [2]. For his research, Tomas Pexieder used the tools of modern investigating morphology, including precise fixation techniques, transmission electron microscopy, scanning electron microscopy, immunohistochemistry and in situ hybridization [3-14]. His publications were not only scientifically accurate, but also artistically composed. In the process of his morphologic studies, Tomas Pexieder reorganized the conflicting and confusing terminology of embryonic cardiac morphology [15-17].

He summarized his particular analysis of the conotruncus in a masterful recent paper [18], explaining conotruncal defects in the Keeshond dog [19, 20]. He further pioneered the investigation of cardiac phenotype in the trisomy mouse (21-24) and was involved in defining the teratogen effect of trimethadione in the rat and of retinoic acid in the mouse. More recently he became fascinated by the effect of RXR α gene knock-out (in collaboration with K. R. Chien, P. J. Gruber et al., La Jolla, USA). His comparative pathogenetic studies lead him to bring new concepts about the pathogenesis of cardiac malformations. He recently attacked the molecular mechanisms of cardiac pathogenesis. His sense of excellence and competence led him to create a "developmental cardiology network" with the above mentioned investigators as well as Drs B. Keller, E. B. Clark (Rochester, USA), R. R. Markwald (Charleston, USA), J. C. Prados (Madrid), P. S. Jouk (Grenoble, France), I. Ostadalova, V. Pelouch, M. Peterka (Czech Republic) and Y. Shimada (Chiba, Japan).

In the course of the years Tomas Pexieder became one of the most prominent forces in the research of cardiovascular development and congenital heart disease keeping this position for more than a quarter century. His contributions ranged from the pioneering description of programmed cell death in the developing heart through nomenclature descriptive morphology and taxonomy, molecular and cellular biology and epidemiology of congenital cardiovascular malformations.

The interest of T. Pexieder in cardiovascular research was not the only one in the life of this eminent embryologist. His fascination for the development of the human being led him to collaborate with his obstetrician friend Dr. P. Janecek in in-vitro fertilization and the first babies born from their successful work are now 10 years old.

In 1980, Tomas expanded his scientific repertoire to include clinical epidemiology, organizing and leading the Eurocat analysis of congenital cardiovascular malformations [25-35]. He assessed the role of teratogens in the pathogenesis of congenital heart defects [36-48] and provided consultation to physicians through his teratogen hotline.

Tomas Pexieder's huge work is present in 3 monographs, 31 chapters in monographs, 65 papers and 104 abstracts. Prof. Pexieder was also one of the editors of the European Journal of Morphology. Particularly interested in forming scientific relief, T. Pexieder was a mentor of 16 M. D. theses.

In addition to being an eminent embryologist, he teached embryology and histology to medical students, who respected his vast knowledge. Tomas Pexieder demanded a high quality work from his collaborators, a like from himself. Despite the many tasks he was involved in, he always took time for anyone seeking help both at professional and personal level. T. Pexieder was not only an eminent scientist, a mentor, a friend, but also a man with the highest human qualities.

M. Vuillemin, C. Reymond, and R. Krstic

Most important publications of T. Pexieder

- Pexieder, T.: Age changes in the vascularization of the adipose tissue in rats. Exp. Geront. 1, 95 – 103 (1965).
- Pexieder, T.: Cell death in the morphogenesis and teratogenesis
 of the heart. Adv. Anat. Embryol. Cell Biol. 51/3, 100 p.
 (1975).
- Pexieder, T.: Cellular abnormalities leading to congenital heart disease. pp. 24-32. *In:* M. Godman (ed): Paediatric Cardiology, vol. 4. Churchill Livingstone: Edinburgh (1981).
- Pexieder, T., and P. Janecek: Organogenesis of the human embryonic and early fetal heart as studied by microdissection and SEM. pp. 401-421. *In:* J. J. Nora and A. Takao (eds): Congenital heart diseases: Causes and processes. Futura Press: Mount Kisco (1984).
- Pexieder, T.: Proper laboratory practice in experimental studies of abnormal cardiovascular development. pp. 169-174.
 In: Clark, E. B., R. R. Markwald and A. Takao (eds): Developmental mechanisms of heart disease. Futura Publishing Co.: Armonk, NY (1995).
- Pexieder, T., S. Jedlicka, K. Sugimara, A. Tatimatsu and H. Sato: Immunohistochemical localization of platelet-derived growth factor (PDGF) during cardiac morphogenesis in chick and mouse embryos and fetuses. pp. 207 - 212: In: Clark, U. B.,

- R. R. Markwald and A. Takao (eds): Developmental mechanismes of heart disease. Futura Publishing Co.: Armonk 1995.
- 7. Pexieder, T.: Changing scene in cardiac embryology. Herz 4, 73-77 (1979).
- Pexieder, T.: Prenatal development of the endocardium: A review. pp. 191 – 220. In: G. C. Schoenwolf (ed): Scanning electron microscopy studies of embryogenesis. SEM Inc. AMF O'Hare (1986).
- Effmann, E. L.,
 S. Whitman and T. Pexieder: Stereo microangiography in embryologic and teratologic investigation. Teratology 34, 103-112 (1986).
- Pexieder, T.: SEM in studies on abnormal cardiac development.
 Teratology 37, 289 291 (1988).
- Moscoso, G., and T. Pexieder: Variations in microscopic anatomy and ultrastructure of human embryonic hearts subjected to three different modes of fixation. Path. Res. Pract. 186, 768-774 (1990).
- Krstic, R., and T. Pexieder: Electron microscopic observation on highest point phase of cell death in bulbar cushions of the chick embryo, Anat. Anz. 134, Erg-H., 613-618 (1973).
- Pexicder, T.: Scanning electron microscopic observations on the surface of the bulbar cushions of the chick embryo. Verh. Anat. Ges. 70, 747-754 (1976).
- Pexieder, T.: SEM observations of the embryonic endocardium under normal and experimental hemodynamic conditions. Bibl. Anat. 15, 531-534 (1977).
- Becker, A. E., and T. Pexieder: European Society of Cardiology Working Group on Embryology and Teratology. Eur. Heart J. 5, 180-182 (1984).
- Pexieder, T., A. C. G. Weninck and R. H. Anderson: A suggested nomenclature for the developing heart. Int. J. Cardiol. 25, 255 264 (1989).
- 17. Pexieder, T.: The solution of two enigmas in the organogenesis of the heart. Bull. Fond. Suisse Cardiol. 13, 39-50 (1982).
- Pexieder, T.: Conotruncus and its septation at the advent of the molecular biology era. pp. 227-247. In: Clark, E. B., R. R. Markwald and A. Takao (eds): Developmental mechanisms of heart desease. Futura Publishing Co.; Armonk, NY (1995).
- Pexieder, T., and D. F. Patterson: Early pathogenesis of conotruncal malformations in the Keeshond dog. pp. 439-457.
 In: J. I. Nora and A. Takao (eds): Congenital heart disease: causes and processes. Futura Press: Mount Kisco (1984).
- Patterson, D. F., T. Pexieder, W. R. Schwarz, T. Navratil and R. Afaili: A single major-gene defect underlying cardiac conotruncal malformations interferes with myocardial growth during embryonic development: studies in the CTD line of Keeshond dogs. Am. J. Hum. Genet. 52: 388-397 (1993).
- 21. Pexieder, T.: Heart anomalies in fetal mouse trisomy. pp. 387-390. In: G. C. Rosenquist, D. Bergsma (eds): Morphogenesis and malformation of the cardiovascular system. Birth Defects: Orig. Art. Ser. Vol. XIV, No 7. A. R. Liss Inc.: New York (1978).
- 22. Pexieder, T., S. Miyabara and A. Gropp: Congenital heart disease in experimental mouse trisomies: incidence. pp. 389-398. In: T. Pexieder (ed): Mechanisms of cardiac morphogenesis and teratogenesis. Raven Press: New York (1981).
- 23. Vuillemin, M., T. Pexieder, A. Gropp and H. Winking: Pathogenesis of pulmonary artery stenosis and atresia in fetal mouse trisomy 13. pp. 383 407. *In*: E. B. Clark and A. Takao (eds): Developmental cardiology: Morphogenesis and Function. Futura Publ Co: Mount Kisco (1990).

- Vuillemin, M., and T. Pexieder: Pathogenesis of various forms of double outlet right ventricle in mouse fetal trisomy 13. Int. J. Cardiol. 33, 281 – 304 (1991).
- 25. Pexieder, T., H. Baumann, G. D. Mieth, A. Huch, and G. Duc: Prospective recording of events during pregnancy and early childhood using a pregnancy pass. Results of a pilot study in Zurich. pp. 214-224. *In:* Ph. de Wals, J. A. C. Weatherall and M. F. Lechat (eds): Registration of congenital anomalies in Eurocat centres 1979-1983; Cabay: Louvain La-Neuve (1985).
- 26. Pexieder, T., Ph. De Wals, C. Bosi, C. Stoll, A. Gallez, A. Houston, A. Vliers, J. Wilkinson: Preliminary results of the subproject for the registration and follow-up of congenital heart disease. pp. 211-227. In: Ph. de Wals, M. F. Lechat (eds): Eurocat Report 2. Brussels (1987).
- 27. Pexieder, T., and D. Bloch: EUROCAI subproject on epidemiology of congenital heart disease. First analysis of the completed study. pp. 655-671. *In:* Clark, E. B., R. R. Markwald and A. Takao (eds): Developmental mechanisms of heart disease. Futura Publishing Co.: Armonk, NY (1995).
- Pexieder, T.: Pathogenesis of neonatal heavy failure: Truth and Fiction. A. Kardiol. 79, 315 – 323 (1990).
- 29. Pexieder, T., and D. Bloch: Congenital anomalies in Switzerland. Problems and solutions in data collection and their European integration experienced by Eurocat (Switzerland). Soz. Präventiymed. 34, 43 – 46 (1994).
- Pexieder, T., and D. Bloch: Stratification by size in the epidemiology of ventricular septal defects. Eurocat Newsletter 8/1: 1-2 (1994).
- Lin, A. E., and T. Pexieder: Need for greater precision in reporting cardiovascular malformations. Amer. J. Med. Genetics 51, 84-85 (1994).
- Cornel, M. C. et al. incl. T. Pexieder: Variation in prenatal cytognetic diagnosis: policies in 13 European countries, 1989-1991. Prenat. Diag. 14, 337-344 (1994).
- Stoll, Cl., et al. incl. T. Pexieder: Distribution of single organ malformations in European populations Ann. Genet 38, 32-43 (1995).
- 34. Pexieder, T.: Final report on the Swiss participation in the collaborative study of COST. Registration of congenital anomalies and multiple births (1980 1983). Bull. office féd. santé publ. 29/26. 7, 1984, 438 444 (1984).
- Pexieder, T.: Prevention of congenital anomalies using epidemiologic studies and prenatal therapy. Med. Hyg. 41, 2017 – 2034 (1983).
- 36. Pexieder, T.: Teratogens, pp. 25 68. In: M. E. M. Pierpont and J. H. Moller (eds): The Genetics of Cardiovascular Diseases. Martinus Nijhoff Publ: Boston (1986).

- 37. Pexieder, T., Vuillemin, R. Alaili, S. Veuthey, D. F. Patterson and W. J. Scott Jr: Experimental studies in the pathogenesis of conotruncal defects. pp. 37-92. *In:* A. Aranega and T. Pexieder (eds): Correlations between experimental cardiac embryology and teratology and congenital cardiac defects. University of Granada Press: Granada (1989).
- 38. Veuthey, S., T. Pexieder and W. J. Scott Jr: Pathogenesis of cardiac anomalies induced by trimethadione in the rat. pp. 453-465. *In:* E. B. Clark and A. Takao (eds): Developmental cardiology: Morphogenesis and Function. Futura Publ. Co: Mount Kisco (1990).
- Pexieder, T., M. Pfizenmaier Rousseil and J. C. Prados-Frutos: Prenatal pathogenesis of the transposition of great arteries. pp. 11-27. *In:* M. Vogel and K. Buhlmeyer (eds): Transposition of the great arteries-25 years after Rashkind balloon Septostomy. Steinkopf Verlag: Darmstadt (1992).
- Pexieder, T.: Teratogenic mechanisms in congenital cardiac anomalies. Acta anat. neerl. scand. 13, 311-313 (1975).
- Pexieder, T.: Surveillance of potential teratogens. J. Suisse de Pharmacie 20, 514-516 (1989).
- Pexieder, T.: The effect of cyclophosphamide on the area of physiologic cell death in the hearts of chick embryos. Anat. Ant. 136, Erg.-H. 841 – 847 (1974).
- 43. Pexieder, T.: The contribution of experimental embryology to the evaluation of teratogenic effect of new medications. Med. Hyg. 33, 1001 – 1005 (1975).
- Pexieder, T.: Prevention of congenital anomalies using epidemiologic studies and prenatal therapy. Med. Hyg. 41, 2017 – 2034 (1983).
- 45. Pexieder, T.: Final report on the Swiss participation in the collaborative study of COST. Registration of congenital anomalies and multiple births (1980-1983). Bull. office fed. sante publ. 29/26. 7. 1984, 438-444 (1984).
- Pexieder, T.: Exogenous teratogens. Gazette Medical 3, 201 – 208 (1989).
- 47. Pexieder, T.: Dealing with clusters. ENTIS Newsletter 3: 26-31, 1993.
- Pexieder, T.: Do dental mercury fillings (amalgams) represent a risk for the fetus and newborn? ENTIS Newsletter 4: 10-11, 1995.

Correspondence to:

R. Krstic, Histologisch-Embryologisches Institut, Universität Lausanne, rue du Bugnon 9, CH-1005 Lausanne, Schweiz